


Tape all joined edges of 1" rigid foam with aluminum waterproofing repair tape. Install structural screws or 0.131 x 3" smooth shank nails for header attachment to adjacent 2x4 stud

Detail #1 - Wheel Well Header 1

Detail #2 - Wheel Well Header 2




Framing Details I

Model Type: Custom

Designer Name: Tina Client Name(s): Dan & Cate Project Number: BTH0103-DC


Draft: Details Date: July 12, 2021






Detail #3 - Window/Door/Opening Header


Detail #4 - Tie Down





Detail #5 - Loft/Mezzanine Tie (supported)

Detail #6 - Roof Rafter Tie




Framing Details III

Model Type: Custom

Designer Name: Tina Client Name(s): Dan & Cate Project Number: BTH0103-DC

Draft: Details Date: July 12, 2021



ZIP panels to ZIP panel 24" O.C., be installed per h-clips required manufacturer requirements **NOAH NOAH** Roof: 3" edge/6" H2.5A 7/16" ZIP panel field hurricane tie sheathing for bottom plate exterior walls Walls: 4" edge/8" to king stud field 5/8" ZIP panel attachment; sheathing for all king studs exterior roof exterior wall framing 24" O.C., double top Wall Sheathing Fastener Schedule: plate with 16 O.C. -0.113 x 2-5/8" ring shank nails with suggested 6" for edge and 12" for field. roof/loft/mezzanne framing

Detail #8 - California Corner

Detail #9 - Sheathing & Fastener Schedule