


#### **Table of Contents**

- A01 Table of Contents
- A02 Visual Plans Exterior North-East & South-West
- A03 Visual Plans Interior North & South
- A04 Visual Plans Interior East
- A05 Visual Plans Interior West
- A06 Elevations Exterior North
- A07 Elevations Exterior East
- A08 Elevations Exterior South
- A09 Elevations Exterior West
- A10 Elevations Interior North Near & North Middle
- A11 Elevations Interior North Middle & North Far
- A12 Elevations Interior East
- A13 Elevations Interior East Hidden
- A14 Elevations Interior South Near & South Middle
- A15 Elevations Interior South Middle & South Far
- A16 Elevations Interior West
- A17 Elevations Interior West Hidden
- A18 Floor Plans Lower Layout
- A19 Floor Plans Upper Light Layout
- A20 Floor Plans Roof
- A21:A35 Visual A:Visual T







Visual Plans - Exterior North-East & South-West

Model Type: Basecamp











#### Visual Plans - Interior East

Model Type: Basecamp






#### Visual Plans - Interior West

Model Type: Basecamp






#### Elevations - Exterior North

Model Type: Basecamp






#### Elevations - Exterior East

Model Type: Basecamp







# Elevations - Exterior South


Model Type: Basecamp





### Elevations - Exterior West






### Elevations - Interior North Near & North Middle

Model Type: Basecamp






## Elevations - Interior North Middle & North Far

Model Type: Basecamp






#### Elevations - Interior East

Model Type: Basecamp






Elevations - Interior East Hidden


Model Type: Basecamp

Designer Name: BTH
Client Name(s): N/A
Project Number: N/A
Draft: Base Visual Plans
Draft Year: 2022

13


 $\triangleleft$ 






# Elevations - Interior South Near & South Middle






### Elevations - Interior South Far

Model Type: Basecamp






#### Elevations - Interior West

Model Type: Basecamp






Elevations - Interior West Hidden


Model Type: Basecamp

Designer Name: BTH
Client Name(s): N/A
Project Number: N/A
Draft: Base Visual Plans
Draft Year: 2022

17


⋖






# Floor Plans - First Floor Light Layout

Model Type: Basecamp







Floor Plans - Loft Light Layout

Model Type: Basecamp










## Visual A

Model Type: Basecamp






## Visual B

Model Type: Basecamp






#### Visual C


Model Type: Basecamp






## Visual D

Model Type: Basecamp





#### Visual E

Model Type: Basecamp





Backcountry Tiny Homes, LLC 26 Owens Court Suite 6 Hampstead, NH 03841

#### Visual F

Model Type: Basecamp





Backcountry Tiny Homes, LLC 26 Owens Court

Hampstead, NH 03841

#### Visual G

Model Type: Basecamp






Backcountry Tiny Homes, LLC 26 Owens Court Suite 6 Hampstead, NH 03841

#### Visual H

Model Type: Basecamp





#### Visual I

Model Type: Basecamp






Backcountry Tiny Homes, LLC 26 Owens Court Suite 6 Hampstead, NH 03841

# Visual J

Model Type: Basecamp

Designer Name: BTH
Client Name(s): N/A
Project Number: N/A
Draft: Base Visual Plans
Draft Year: 2022






Visual K

Model Type: Basecamp

Designer Name: BTH
Client Name(s): N/A
Project Number: N/A
Draft: Base Visual Plans
Draft Year: 2022

31






## Visual L

Model Type: Basecamp

Designer Name: BTH
Client Name(s): N/A
Project Number: N/A
Draft: Base Visual Plans
Draft Year: 2022


32





# Visual M

Model Type: Basecamp





Backcountry Tiny Homes, LLC 26 Owens Court Suite 6 Hampstead, NH 03841


Visual N

Model Type: Basecamp

Designer Name: BTH
Client Name(s): N/A
Project Number: N/A
Draft: Base Visual Plans
Draft Year: 2022

34






Visual O

Model Type: Basecamp

Designer Name: BTH
Client Name(s): N/A
Project Number: N/A
Draft: Base Visual Plans
Draft Year: 2022

35






Page P

Model Type: Basecamp






Page Q

Model Type: Basecamp

Designer Name: BTH
Client Name(s): N/A
Project Number: N/A
Draft: Base Visual Plans
Draft Year: 2022





Page R

Model Type: Basecamp

Designer Name: BTH Client Name(s): N/A Project Number: N/A Draft: Base Visual Plans Draft Year: 2022



# **Specification Sheet**

# Exhibit A

Project Number: Basecamp

Client Name(s): N/A

**Designer Name: BTH** 

Date: 08/02/2022

# **Table of Contents**

-Home Snapshot	2
-Bathroom	3
-Kitchen	4
-Living Area	5
-Dining Area	6
-Bedroom	
-Entry	8
-Additional Area #1	9
-Additional Area #2	10
-Additional Area #3	<u> </u>
-Additional Area #4	12
-Exterior	13
-Interior Finishing	14
-Exterior Finishing	15
-Window Schedule	16
-Door Schedule	

# -Home Snapshot-

Page Description: Snapshot of general home specifications

# **Dimensions & Technical**

# First Floor SQFT:

190-sf

**Total SQFT** (includes lofts, decks, etc. where applicable): 386-sf

### **Trailer LxW:**

26'-0" x 8'-2"

Home LxWxH (includes appliance, railings, and trailer tongue): 31'-6" x 8'-6" x 13'-6" (without roofdeck railings)

[see notes]

# Trailer GAWR & Axle Specs:

Triple 7K axles; 21K GAWR

#### Trailer/Floor Insulation & Framing:

- 16" O.C. metal trailer tubing
- Closed cell spray foam R-38

# Wall Insulation & Framing:

- 24" O.C. wood advanced framing
- Mineral wool insulation R-15 (no insulation in interior walls)

# **Roof Insulation & Framing:**

- 16" O.C. 2x6 wood framing
- Closed cell spray foam insulation, R-38

### Loft Insulation & Framing:

16" O.C. wood traditional framing; no insulation

1

## **Additional Notes:**

Home is roughly 16'-10" tall with roofdeck railings attached. Roofdeck railings must be detached for transit.

# **Utilities & Safety**

# **Electrical Connection:**

RV 50amp/220V twist & lock electrical plug

#### **Water Connection:**

RV city water inlet

### **Sewer Connection:**

RV 3" waste gate valve

#### **Gas Connection:**

2-stage regulator propane gas connection with (2) pigtails (tanks not included) on North side with frost protector.

#### Off-Grid Elements:

N/A

## Ventilation:

Bathroom vent, whole-house bath vent, minisplit, over the range hood vent, ceiling fan

### Heat Type (includes home heating and water heater):

- Minisplit (heat & AC) E
- Electric bathrom heater
- Propane water heater

# **Cooking Type:**

Electric cooktop

# Safety Items (fire, CO, gas, travel, etc.):

Smoke/CO alarm, appliance tie downs, fire extinguisher, fire ladder (no combustible gas alarm, gas outside only).

### **Emergency Egress:**

Yes - door egress roofdeck & fire ladder



# -Bathroom-

Page Description: Bathroom area only

# **Appliances & Appurtenances**

## Shower:

- 48in. x 34in. Shower Enclosure, Center Drain White
- Shower rod/curtain not included

#### **Shower Faucet:**

Handheld shower head in silver with mixer

#### Sink:

IKEA Tvallen Sink with water trap, white, 19 5/8x19 1/8 "

#### Sink Faucet:

IKEA Pilkan Bath faucet with strainer, chrome plated

#### Toilet:

1.28 GPF Round-Front Toilet White

# Lighting:

(2) 4" LED disk lights 5000K, white, dimmable

# Outlets (number and function):

(2) GFCI outlets - general use

# Switches (number and function):

(1) switch - bath vent

# Heating/Ventilation:

- Delta 100cfm Bath Vent
- Envi High-Efficiency Whole Room 120v Plug-In Electric Panel Wall Heater - 2nd Generation (HH3012T) [see notes]

## Additional Notes:

Envi Heater - this is a plug-in unit to act as supplemental heat for winter for the bathroom; unit can be removed when not needed

# **Furnishings**

# Sink Cabinet/Vanity:

- IKEA Enhet Base cb f sink w 2 drawers, white/white frame, 18x18 3/4x24 "
- (2) IKEA Bagganas Knobs, black, 13/16 "

# Medicine Cabinet/Vanity:

#### Hardware:

Toilet paper holder in silver

# -Kitchen-

Page Description: Kitchen area only

# **Appliances & Appurtenances**

# Cooktop/Oven/Range:

Summit CR2110 115V Electric Cooktop with 2 Burners, 12-Inch (or equal)

# Microwave/Cooking Vent:

Broan-NuTone - F40000 24 in. 230 Max Blower CFM Convertible Under-Cabinet Range Hood with Light in Stainless Steel

# Fridge/Freezer:

Magic Chef 10.1 cu/ft Top Freezer Refrigerator in Platinum Steel

Sink

IKEA Langudden Sink Stainless Steel, 22x20 5/8"

Sink Faucet :

Pfister - Stellen Single-Handle Bar Faucet with Pull-Down Sprayer in Polished Chrome

# Water Heater:

N/A [see exterior]

# Lighting:

(3) 4" LED disk lights 5000K, white, dimmable

# Outlets (number and function):

- (3) GFCI outlets appliances
- (2) GFCI outlets general use

### Switches (number and function):

(2) Dimmable switches - kitchen lights and bathroom lights

# Heating/Cooling/Ventilation:

[see microwave/cooking vent]

## **Additional Notes:**

# **Furnishings**

### Cabinets:

IKEA Base Sektion Cabinets (Enköping, White wood effect):

- (1) for sink, 2 door 24x24x30"
- (2) with shelves, 2 door 24x24x30"
- (2) with shelves, 1 doors 12x24x30"

#### Toekick:

- (2) Forbattra toekick, white, 84x4 1/2 "

### Legs & Fascia:

- Sektion Legs 4 1/2 "
- Enkoping cover panels, white wood effect, as needed

### Countertops:

(2) IKEA Ekbacken, Light Gray Concrete Effect, Laminate, 74" x 1 1/8"

# Backsplash:

- White subway tile
- Brushed Nickel Aluminum Tile Edge Trim
- Bright white grout

# Hardware:

Black cabinet pulls

# **Shelving**

- Whitewood hardwood wall shelf, clear coated with (2) Burshed Nickel shelf brackets.

:

# -Living Area-

Page Description: Living area only (South of Entry and Dining)

r ago bosonpasin civing area only (South of Entry and Diffing)	
Appliances & Appurtenances	Furnishings
Electrical Panel :	Couch/Sofa:
Amp 100-Space 20-Circuit Main Breaker Load Center	IKEA Friheten Sleeper sectional,3 seat w/storage, Hyllie beige
leating/Cooling: - 12,000 BTU 240V Minisplit - Minisplit Remote near couch	HINTEV
ighting: (2) 4" LED disk lights 5000K, white, dimmable	
<b>Dutlets</b> (number and function) <b>:</b> (2) outlets - future TV, couch area	IOMES ×
Switches (number and function): (3) Dimmable light switches - living area lights, storage loft lights, main area lights.	16
/entilation: N/A	:
Additional Notes: No TV provided but space allocated with outlet	Additional Notes:



# -Dining Area-

Page Description: Dining area and surrounding storage (west wall)

Appliances & Appurtenances	Furnishings
:	Seating: Not included
:	Table:
	(1) IKEA Ekbacken countertop, light gray concrete effect (74") (1) IKEA Adlis leg, white
	Upper Wall Cabinets:
	IKEA Sektion horizontal cabinet with push opener, Enköping, White wood effect - (1) 24x24x15 and (1) 30x24x15
	Tall Cabinets :
	IKEA Sektion high cabinet with 2 doors, Enköping white, 18x24x90" - shelving and hanger rod included
	Fasci <mark>as</mark> :
	IKEA Enkoping white cover panels and Forbattra white toekicks as needed.
Heating/Cooling:	Handles :
[see living area. page 5]	(2) IKEA Kallror handles, stainless steel, 8 3/8"
Lighting:	
(4) 4" LED disk lights 5000K, white, dimmable	
Outlets (number and function):	IOMES×
(2) outlets - general use	
(1) RG6 connection	
Switches (number and function):  N/A [see living area. page 5]	116
Ventilation: N/A	:
Additional Notes:	Additional Notes:

# -Bedroom-

Page Description: Master loft - upstairs bedroom

Appliances & Appurtenances	Furnishings
:	Closet/Wardrobe:
	IKEA Kallax Shelf unit on base legs, White, 30 3/8x57 7/8 "
	Mattwee of Park
	Mattress/Bed:
	Mattress/sheets/pillows not included; area sized for queen
	Stairs/Ladder:
	[see Entry. page 8]
	D. W. Co. L.
	Railing/Divider:
	Barrier - framed 2x4, full height, divider wall at loft's edge.
	Divider wall paneling to match surrounding area.
11 (1 10 1)	
Heating/Cooling:	
N/A	
4-1-18 (8)	
Lighting:	
(2) 4" LED disk lights 5000K, white, dimmable	
TIVIVI	LOMEO
- W. / / X	IMML
Outlets (number and function):	
(1) outlet - general use	
	10
Switches (number and function):	116
(1) dimmable switch - bedroom lights	
Ventilation:	:
(2) Drainage vents - Studor 4-1/8 in. x 7-1/8 in. Mini Recess Box with Grille	
DOX WILL GLINE	
Additional Notes:	Additional Notes:

# -Entry-

Page Description: Entryway & Staircase storage (east wall)

# Appliances & Appurtenances

# Safety

- Smoke/CO detector in stairwell
- Fire extinguisher by door

# Washer / Dryer

Connections for future W/D combo unit only (water valve box, drainage, and outlet) - W/D unit not included.

÷

.

# Heating/Cooling:

N/A

# Lighting:

N/A

# Outlets (number and function):

[see washer / dryer]

# Switches (number and function):

- (1) switch whole-house bath vent
- (1) switch exterior porch light

#### Ventilation:

Delta 50cfm whole-house bath vent

# **Additional Notes:**

# **Furnishings**

# Stairs/Steps:

(2) Entry step stairs, whitewood with hardwood treads and painted white risers, clear sealed w/ poly; no storage

# Storage Stairs/ Steps:

(4) Open-cubby whitewood storage steps with hardwood treads and painted white risers, clear sealed [see notes]

# Railing

Stainless steel cable railing with whitewood hand rail (clear sealed w/ poly).

# Divider

Framed 2x2 divider wall between stair boxes and kitchen sink. Divider wall paneling to match surrounding area.

OMES

:

:

#### **Additional Notes:**

Storage steps - This area allows for standing room at top step (bedroom loft entrance). High point is ~5'-5".



# -Additional Area #1-

Page Description: Secondary loft / storage area

Appliances & Appurtenances	Furnishings
:	Railings :
	Custom railing comprised of 2x2 whitewood hardwood. Sealed with clear poly.
: · · · · · · · · · · · · · · · · · · ·	Entry Ladder :
	Custom aluminum ladder w/ bar attachment hooks in brushed stainless
	Ladder Attachment :
	(2) Brushed stainless bars for ladder storage and loft attachment - located on east wall and loft edge
Heating/Cooling:	
N/A	
Lighting: (1) 4" LED disk lights 5000K, white, dimmable	
	LOMEC
Outlets (number and function): (1) outlet - general use	IOME2 ×
Switches (number and function): N/A [see living area. page 5]	116
Ventilation: N/A	:
Additional Notes:	Additional Notes:



# -Additional Area #2-

Page Description: Roof Deck

r ago Bossipaon.	
Appliances & Appurtenances	Furnishings
:	Roof Deck Material :
	Econodek vinyl membrane (Grey Timber)
	Railings :
	Custom cedar railings w/ black powder coated pickets, attachment plate (first railing setup THO responsibility)
	Roof Entry Stairs :
	Comprised of PT/heat treated lumber [see plans], stained to match cedar siding
	Safety :
	Kidde Fire Escape 2-Story Ladder, Escape Ladder, 13-Foot Anti-Slip Rungs, Rope Ladder (to be stored by THO)
Handing (On a linear	
Heating/Cooling: N/A	HINTOV
Lighting: N/A	
TIVIVI	IOMEC
Outlets (number and function):	IUMED ×
(1) GFCI exterior rated outlet with bubble cover on North wall	
	10
Switches (number and function):	16
N/A	
Ventilation:	:
N/A	
Additional Notes:	Additional Notes:



# -Additional Area #3-

Page Description: N/A

Appliances & Appurtenances	Furnishings
Heating/Cooling: Lighting:	
Outlets (number and function):	OMES
Switches (number and function):	116
Ventilation:	:
Additional Notes:	Additional Notes:



# -Additional Area #4-

Page Description: <mark>N/A</mark>

Appliances & Appurtenances	Furnishings
:	·
	:
Heating/Cooling:	
1 - 1 - 1 H (4 H	
Lighting:	
TIMIVI	IOMEC
Outlets (number and function):	IOMES ×
Switches (number and function):	116
Ventilation:	
Additional Notes:	Additional Notes:
Additional Notion	Additional Notes.



# -Exterior-

Page Description: Exterior appliances & furnishings of home

# **Appliances & Appurtenances**

# Heating/Cooling:

Minisplit exterior unit located on Sorth wall; lineset along Wast wall

#### Water Heater:

Rinnai V65eP Outdoor Tankless Hot Water Heater, Propane, 6.3 GPM, Large, located on North wall

# Lighting:

(1) Porch light - Yosemite Home Decor 1-Light Exterior Wall Lantern Sconce in Black

### Outlets (number and function):

- (2) GFCI exterior rated outlets south wall and roofdeck
- (1) RG6 connection on south wall

# Switches (number and function):

Minisplit junction box switch on South wall

# Ventilation:

- (2) drainage vents upper east wall
- (3) vents rangehood, bathroom vent, and whole-house vent.

# Gas

2-stage propane regulator & pigtails on N wall

.

# **Additional Notes:**

# **Furnishings**

# **Exterior Entry Stairs:**

Econo Porch 3-Step, metal in black. Flat packed - THO to construct/install

# Roofdeck/Balcony:

[see Additional Area #2. Page 10]

#### Porch:

N/A

# Railings:

[see Additional Area #2. Page 10]

# **Utility Box/Shed:**

N/A

# Awnings:

N/A

### **Additional Notes:**

Line set for minisplit to be exposed on north and east wall, covered with line set cover; white

For minisplit and water heater exposed on north and south walls, units to be covered with custom canvas cover for travel.



# -Interior Finishing-

Page Description: Finishing for the interior of the home

# Ceiling & Walls Interior Siding #1: Sealed Knotty Pine SQFT/LF (Final Draft Only): Material Type: T&G WP4 Knotty Pine Size: 1x8; 6.75" exposed face Color: Clear Satin Water-Based Interior Polyurethane Location: All Walls and Ceilings Interior Siding #2: SQFT/LF (Final Draft Only): Material Type: Size: Color: Location: Interior Siding #3: SQFT/LF (Final Draft Only): Material Type: Size: Color: Location: Interior Siding #4: SQFT/LF (Final Draft Only): Material Type: Size: Color: Location: Interior Siding #5: SQFT/LF (Final Draft Only): Material Type: Size: Color: Location: **Additional Notes:**

```
Flooring & Trim
Flooring #1: Lifeproof LVP
       SQFT/LF (Final Draft Only):
       Material Type: luxury vinyl plank flooring
       Size: 8.7" x 47.6"
       Color: Dusk Cherry
       Location: All Floors
Flooring #2:
       SQFT/LF (Final Draft Only):
       Material Type:
       Size:
       Color:
       Location:
Interior Trim #1: Window & Door trim
       SQFT/LF (Final Draft Only):
       Material Type: Pine Casing WM351
       Size: 11/16 in. x 2-1/2 in.
       Color: Clear Satin Water-Based Interior Polyurethane
       Location: All Windows & Doors
Interior Trim #2: Floor Trim
       SQFT/LF (Final Draft Only):
       Material Type: pine quarter round moulding
       Size: 1-1/16 in. x 1-1/16 in. x 96 in.
       Color: Clear Satin Water-Based Interior Polyurethane
       Location: All Floors
Interior Trim #3:
       SQFT/LF (Final Draft Only):
       Material Type:
       Size:
       Color:
       Location:
Additional Notes:
```



# -Exterior Finishing-

Page Description: Finishing for the exterior of the home

# Siding & Roofing

Exterior Siding #1: Cedar siding

SQFT/LF (Final Draft Only):

Material Type: T&G WP4 knotty cedar

Size: 1x6; 4.75" exposed face

Color: Arborcoat - Teak Translucent

Location: East wall - entry

Exterior Siding #2: Metal siding

SQFT/LF (Final Draft Only):

Material Type: Everlast II - corrugated metal siding

Size: 3/4" x 36"

Color: Ivy

Location: All walls

Exterior Siding #3:

SQFT/LF (Final Draft Only):

Material Type:

Size:

Color:

Location:

Roofing #1: Metal roofing

SQFT/LF (Final Draft Only):

Material Type: Everlast II - corrugated metal roofing

Size: 3/4" x 36"

Color: Ivv

Location: Roof

Roofing #2:

SQFT/LF (Final Draft Only):

Material Type:

Size:

Color:

Location:

**Additional Notes:** 

# **Trim & Trailer**

Exterior Trim #1: Metal trim

SQFT/LF (Final Draft Only):

Material Type: Everlast II - metal trim

Size: varies

Color: Ivy

Location: Per visual plans

Exterior Trim #2: Cedar trim

SQFT/LF (Final Draft Only):

Material Type: knotty cedar

Size: varies

Color: Arborcoat - Teak Translucent

Location: Transition from cedar to metal siding

Exterior Trim #3:

SQFT/LF (Final Draft Only):

Material Type:

Size:

Color:

Location:

Trailer:

Painted black



# -Window Schedule-

Page Description: Window specifications

**Windows** 

Window: Central area - west

Count: 2

Size/R.O.: 47.5"w x 41.5"h (48" x 42" RO)

Color/Material: White / vinyl

Opening Type: Slider

Glass Type: Clear, tempered

Location: West wall in dining and living areas

Window: Living area - south

Count: 1

Size/R.O.: 83.5"w x 41.5"h (84" x 42" RO)

Color/Material: Wwhite / vinyl Opening Type: Fixed/ picture Glass Type: Clear, tempered

Location: South wall in living area

Window: Bathroom

Count: 1

Size/R.O.: 23.5"w x 23.5"h (24" x 24" RO)

Color/Material: White / vinyl
Opening Type: Awning

Glass Type: Clear, tempered Location: East wall in bathroom

Window: Bedroom

Count: 2

Size/R.O.: 59.5"w x 23.5"h (60" x 24" RO)

Color/Material: White/ vinyl

Opening Type: Slider

Glass Type: Clear, tempered

Location: East and West walls in bedroom loft

**Additional Notes:** 

**Windows** 

Window: Storage & Kitchen

Count: 2

Size/R.O.: 29.5"w x 23.5"h (30" x 24" RO)

Color/Material: White / vinyl

Opening Type: Slider

Glass Type: Clear, tempered

Location: East wall in Kitchen and Storage loft

Window:

Count:

Size/R.O.:

Color/Material:

Opening Type:

Glass Type:

Location:

Window:

Count:

Size/R.O.:

Color/Material:

Opening Type:

Glass Type:

Location:

Window:

Count:

Size/R.O.:

Color/Material:

Opening Type:

Glass Type:

Location:



# -Door Schedule-

Page Description: Door specifications

**Doors** 

**Door:** French Door - Main Entry

Count: 1

Size/R.O.: 60" x 80" / 62.5" x 82.5"

Interior/Exterior Color: Primed white both sides

Material: Flat fiberglass

Opening Type: LH inswing

Glass Type: Full lite clear glass, tempered

Location: East wall

Door:

Count:

Size/R.O.:

Interior/Exterior Color:

Material:

Opening Type:

Glass Type:

Location:

Door: N/A

Count:

Size/R.O.:

Interior/Exterior Color:

Material:

Opening Type:

Glass Type:

Location:

Door: N/A

Count:

Size/R.O.:

Interior/Exterior Color:

Material:

Opening Type:

Glass Type:

Location:

**Doors** 

Specialty Door: Pocket Door

Count: 1

Size/R.O.: 24" x 80" - cut down to size

Interior/Exterior Color: clear sealed poly

Vendor varies

Description: custom cut pocket door Location: Interior N wall for bathroom

Specialty Door: Hobbit door - secondary egress

Count: 1

Size/R.O.: ~27" x 40" (door size)

Interior/Exterior Color: stained match roof entry stairs

Vendor N/A

Description: Cedar with black banding

Location: Bedroom loft - north wall

Specialty Door:

Count:

Size/R.O.:

Interior/Exterior Color:

Vendor

Description:

Location:

**Specialty Door:** 

Count:

Size/R.O.:

Interior/Exterior Color:

Vendor

Description:

Location:

**Additional Notes:** 

 Entry door: KwiksetTustin Satin Nickel Exterior Entry Door Lever and Single Cylinder Deadbolt Combo Pack Featuring SmartKey

- Pocket door: Pull and latch in silver